

1200mg CO2 Oil: Grove Dawg 2

Sample ID: BIA260123S0475

Strain: Grove Dawg

Harvest Lot:

Matrix: Ingestible

Type: Tincture

Sample Size: 1 units

Lot#:

Produced:

Collected:

Received: 01/23/2026


Completed: 02/05/2026

Batch#: MANU0035-26-NCC-

GDAWGTINC-03

Client

High Brix Cannabis/Northern Craft



Summary

Test

Date Tested

Result

Sample

Complete

Cannabinoids

02/03/2026

Complete

Cannabinoids

; Density - 0.928g/mL

Completed

5.76 mg/serving

Total THC

ND

Total CBD

6.16 mg/serving

Total Cannabinoids

Analyte	LOQ	Results	Results	Mass	Mass	Analyte	LOQ	Results	Results	Mass	Mass
	mg/g	%	mg/g	mg/serving	mg/container		mg/g	%	mg/g	mg/serving	mg/container
CBDVa	0.0003	<LOQ	<LOQ	<LOQ	<LOQ	CBCVa	0.0003	<LOQ	<LOQ	<LOQ	<LOQ
CBDV	0.0003	<LOQ	<LOQ	<LOQ	<LOQ	CBNa	0.0003	<LOQ	<LOQ	<LOQ	<LOQ
CBDa	0.0005	<LOQ	<LOQ	<LOQ	<LOQ	Δ9-THC	0.0005	2.367	23.67	5.49	1318.05
CBGa	0.0005	<LOQ	<LOQ	<LOQ	<LOQ	Δ8-THC	0.0003	<LOQ	<LOQ	<LOQ	<LOQ
CBG	0.0005	0.077	0.77	0.18	42.83	Δ10-THC*	0.0002	<LOQ	<LOQ	<LOQ	<LOQ
CBD	0.0005	<LOQ	<LOQ	<LOQ	<LOQ	CBL	0.0005	<LOQ	<LOQ	<LOQ	<LOQ
THCV	0.0003	<LOQ	<LOQ	<LOQ	<LOQ	CBC	0.0003	0.056	0.56	0.13	31.23
CBLV	0.0003	<LOQ	<LOQ	<LOQ	<LOQ	THCa	0.0005	0.129	1.29	0.30	72.02
CBcV	0.0003	<LOQ	<LOQ	<LOQ	<LOQ	CBcA	0.0006	<LOQ	<LOQ	<LOQ	<LOQ
THCVa	0.0003	<LOQ	<LOQ	<LOQ	<LOQ	CBLa	0.0005	<LOQ	<LOQ	<LOQ	<LOQ
CBN	0.0005	0.025	0.25	0.06	13.89	Total THC		2.48	24.81	5.76	1381.21
						Total CBD		ND	ND	ND	ND
						Total		2.65	26.54	6.16	1478.02

Analyst: 048

Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)

Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:

$$\text{Total THC} = (\text{THCA} \times 0.877) + \Delta 9\text{-THC}$$

$$\text{Total CBD} = (\text{CBDA} \times 0.877) + \text{CBD Reagent}$$

Blanks: < LOQs for all analytes

LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).

All results reflect dry weight of material, based on % moisture of the sample.

Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the

particular quantity subject to measurement. Δ9-THC MU = ±0.005% Total THC MU = ±0.007%

All other cannabinoid MU values are available upon request.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.

*The result is the sum of delta-10 isomers.




 Luke Emerson-Mason
 Laboratory Director
 02/05/2026

 Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com


1200mg CO2 Oil: Grove Dawg II

Sample ID: BIA260108S0202

Strain: Grove Dawg

Harvest Lot:

Matrix: Ingestible

Type: Tincture

Sample Size: 1 units

Lot#:

Produced:

Collected:

Received: 01/09/2026

Completed: 01/19/2026

Batch#: MANU0035-26-NCC-

GDAWGTING-03

Client

High Brix Cannabis/Northern Craft

Terpenes

Completed

Analyte	LOQ	Results	Results
	mg/g	mg/g	%
β-Caryophyllene	0.010	1.902	0.190
Limonene	0.010	1.656	0.166
β-Myrcene	0.010	1.504	0.150
Ocimene	0.010	0.901	0.090
α-Humulene	0.010	0.636	0.064
Linalool	0.010	0.380	0.038
α-Pinene	0.010	0.356	0.036
β-Pinene	0.010	0.349	0.035
Terpinolene	0.010	0.059	0.006
Camphene	0.010	0.047	0.005
Eucalyptol	0.010	0.035	0.004
Caryophyllene Oxide	0.010	0.021	0.002
Geraniol	0.010	0.010	0.001
3-Carene	0.010	0.010	0.001
α-Bisabolol	0.010	<LOQ	<LOQ
α-Terpinene	0.010	<LOQ	<LOQ
cis-Nerolidol	0.010	<LOQ	<LOQ
γ-Terpinene	0.010	<LOQ	<LOQ
Guaiol	0.010	<LOQ	<LOQ
Isopulegol	0.010	<LOQ	<LOQ
p-Cymene	0.010	<LOQ	<LOQ
trans-Nerolidol	0.010	<LOQ	<LOQ
Total		7.865	0.786

Primary Aromas

				
Cinnamon	Orange	Hops	Earthy	Lavender

Analyst: 048

LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.




 Luke Emerson-Mason
 Laboratory Director
 01/19/2026

 Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com
